

DESIGN
NEW
VISION

PLATINUM SERIES



Liyu International Factory
No.33,TianZhi Road,High and New tech.Development
Area Hefei Anhui China 230088
www.liyuprinter.com

Liyu International Europe Showroom
Susuz Mahallesi Dempa Sanayi Sitesi 3793.
Cadde No: 34, 06105 Yenimahalle/Ankara/Turkey
www.cmykreklam.com

"All technical details in this catalog are subject to change by Liyu"

Liyu International Europe Showroom
Diessemer Bruch 100 b-c, 47805 Krefeld, Germany
www.liyuprinter.com
+49 173 3721905

PLATINUM EQ2 HYBRID



DESIGN
NEW
VISION

PLATINUM SERIES



RICOH



KONICA MINOLTA



Technical Specifications

Print Heads	Konica Minolta 1024i - Ricoh Gen5/Gen6
Printhead Quantity	16 (Max.)
Drop Volume	Konica 13 Pl. / Gen5 - 7 Pl. / Gen6 - 5 Pl.
Color Scale	CMYK + White + Lc + Lm + Varnish
INK Type	UV - LED
Drying System	LED
Print Width	2050 mm
Print Height	50 mm
Print Resolution	Konica 2880 dpi / Gen5-6 2400 dpi
Printing Speed Up to	150 m ² /h
Rip Software	PhotoPrint / Caldera (Opt.)
Hardware	-
Power Requirement	230v (+/-) 10% 40A / 50HZ / 60HZ
Machine Size (With Table)	3200 mm x 5000 mm x 1850 mm
Machine Weight	2400 kg.